


KABELKOUS

POLYESTER UITVOERING



Multifunctionele, zeer expandeerbare polyester gevlochten kous voor het beschermen, versterken of bundelen van verschillende elektrische draden en kabels, vloeistofleidingen en slangen.

## Features

1. Highly expandable so easy to apply (push back effect)
2. Very good chemical and abrasion resistance
3. Flammability resistance according to FMVSS 302 and DIN 5510 (2)
4. Halogen free
5. Operating temperature  $-40^{\circ}\text{C}$  to  $+150^{\circ}\text{C}$

## Approvals and classification:

DIN 5510-2 (class S4/SR2/ST2), DIN 5510-2 Smoke toxicity (pass),  
EN 45545-2 : 07/2009 (hazard level HL3)

## Standard packaging

Reel, dispenser box, roll-off box

## Standard colours



black grey

## Dimensions


Nominal diameter mm	Polyester	
	Minimal diameter mm	Maximal diameter mm
3	3	6
4	4	8
5	3	10
6	7	12
8	6	15
10	8	18
12	10	22
15	13	25
18	15	28
20	15	30
25	24	38
30	23	49
40	34	60
50	45	80

## Properties Automotive

Description	Test method	Typical value
Abrasion resistance	LV 312-3 6.5.4	class >F for coverage > 90%
Operating temperature range	LV 312-3 6.7.2	-40°C - +150°C (3.000 h)
Short-term heat ageing	LV 312-3 6.7.3 (240h / 175°C)	No visual change, No tears, breaks, brittleness or other damages
Flammability		class A
Tensile properties	LV 312-3 6.3.3	Tensile strength 28,2N
Tensile properties	LV 312-3 6.3.3	Tensile strain at break 34,6%
Emission	VDA 277	Mean value max. 14,9µg C/g
Thermodesorption	VDA 278	VOC 1 ppm FOG 41 ppm
Fogging	DIN 75201-B	Mean value 0,31 mg
Odor test	VDA 270 V 1-2-3	pass
Resistance to solvents	VW 80000 10	no visual changes after exposition

## Properties Industry / Railway

Description	Test method	Typical value
Flammability	DIN 5510-2	Class S4/SR2/S12
Smoke toxicity	DIN 5510-2	FED ( $t_{2d}$ = 30 min) 0,06
Toxicity index	NF X 70-100 : 2001	I.T.C. = 10,96
Smoke toxicity	NF-X 70-100	CIT <sub>NLP</sub> = 0,12 HL3
Smoke density	EN ISO 5659-2	Max(D <sub>s</sub> ) = 171 HL2
Oxygen index	EN ISO 4589-2	30 Vol-% HL3



Artikel ID	EAN/UPC Barcode	Omschrijving	Artikelgroep	Pack Norm	Verpakking	
CXPYIWTZW003006M0100		WT kabelkous Polyester-zwart/ROL 03 --> 06 mm / Mtr.	CXPYIWT	Industrial pack	100	Mtr.
CXPYIWTZW004008M0100		WT kabelkous Polyester-zwart/ROL 04 --> 08 mm / Mtr.	CXPYIWT	Industrial pack	100	Mtr.
CXPYIWTZW005010M0100		WT kabelkous Polyester-zwart/ROL 05 --> 10 mm / Mtr.	CXPYIWT	Industrial pack	100	Mtr.
CXPYIWTZW006012M0100		WT kabelkous Polyester-zwart/ROL 06 --> 12 mm / Mtr.	CXPYIWT	Industrial pack	100	Mtr.
CXPYIWTZW008015M0100		WT kabelkous Polyester-zwart/ROL 08 --> 15 mm / Mtr.	CXPYIWT	Industrial pack	100	Mtr.
CXPYIWTZW010018M0100		WT kabelkous Polyester-zwart/ROL 10 --> 18 mm / Mtr.	CXPYIWT	Industrial pack	100	Mtr.
CXPYIWTZW012022M0050		WT kabelkous Polyester-zwart/ROL 12 --> 22 mm / Mtr.	CXPYIWT	Industrial pack	50	Mtr.
CXPYIWTZW015025M0050		WT kabelkous Polyester-zwart/ROL 15 --> 25 mm / Mtr.	CXPYIWT	Industrial pack	50	Mtr.
CXPYIWTZW018028M0050		WT kabelkous Polyester-zwart/ROL 18 --> 28 mm / Mtr.	CXPYIWT	Industrial pack	50	Mtr.
CXPYIWTZW020030M0050		WT kabelkous Polyester-zwart/ROL 20 --> 30 mm / Mtr.	CXPYIWT	Industrial pack	50	Mtr.
CXPYIWTZW025038M0050		WT kabelkous Polyester-zwart/ROL 25 --> 38 mm / Mtr.	CXPYIWT	Industrial pack	50	Mtr.
CXPYIWTZW030049M0050		WT kabelkous Polyester-zwart/ROL 30 --> 49 mm / Mtr.	CXPYIWT	Industrial pack	50	Mtr.
CXPYIWTZW040060M0050		WT kabelkous Polyester-zwart/ROL 40 --> 60 mm / Mtr.	CXPYIWT	Industrial pack	50	Mtr.
CXPYIWTZW050072M0050		WT kabelkous Polyester-zwart/ROL 50 --> 72 mm / Mtr.	CXPYIWT	Industrial pack	50	Mtr.
Artikel ID	EAN/UPC Barcode	Omschrijving	Artikelgroep	Pack Norm	Verpakking	
CXPYRWTZW003006M0015	'5420023932372	WT kabelkous PY-zwart/BOX 03 --> 06 mm /(1x 15 Mtr)	CXPYRWT	Retail pack / WT barcode	1	Box
CXPYRWTZW004008M0015	'5420023932389	WT kabelkous PY-zwart/BOX 04 --> 08 mm /(1x 15 Mtr)	CXPYRWT	Retail pack / WT barcode	1	Box
CXPYRWTZW005010M0015	'5420023932396	WT kabelkous PY-zwart/BOX 05 --> 10 mm /(1x 15 Mtr)	CXPYRWT	Retail pack / WT barcode	1	Box
CXPYRWTZW006012M0015	'5420023932402	WT kabelkous PY-zwart/BOX 06 --> 12 mm /(1x 15 Mtr)	CXPYRWT	Retail pack / WT barcode	1	Box
CXPYRWTZW008015M0012	'5420023932419	WT kabelkous PY-zwart/BOX 08 --> 15 mm /(1x 12 Mtr)	CXPYRWT	Retail pack / WT barcode	1	Box
CXPYRWTZW010018M0012	'5420023932426	WT kabelkous PY-zwart/BOX 10 --> 18 mm /(1x 12 Mtr)	CXPYRWT	Retail pack / WT barcode	1	Box
CXPYRWTZW012022M0012	'5420023932433	WT kabelkous PY-zwart/BOX 12 --> 22 mm /(1x 12 Mtr)	CXPYRWT	Retail pack / WT barcode	1	Box
CXPYRWTZW015025M0006	'5420023932440	WT kabelkous PY-zwart/BOX 15 --> 25 mm /(1x 6 Mtr)	CXPYRWT	Retail pack / WT barcode	1	Box
CXPYRWTZW018028M0006	'5420023932457	WT kabelkous PY-zwart/BOX 18 --> 28 mm /(1x 6 Mtr)	CXPYRWT	Retail pack / WT barcode	1	Box
CXPYRWTZW020030M0006	'5420023932464	WT kabelkous PY-zwart/BOX 20 --> 30 mm /(1x 6 Mtr)	CXPYRWT	Retail pack / WT barcode	1	Box
CXPYRWTZW025038M0006	'5420023932471	WT kabelkous PY-zwart/BOX 25 --> 38 mm /(1x 6 Mtr)	CXPYRWT	Retail pack / WT barcode	1	Box
CXPYRWTZW030049M0006	'5420023932488	WT kabelkous PY-zwart/BOX 30 --> 49 mm /(1x 6 Mtr)	CXPYRWT	Retail pack / WT barcode	1	Box



